



产品手册

Product manual

诚信 共赢 求精 创新
Integrity Win-Win Refinement Innovation



ZSM® 浙江兆山机电有限公司
ZHEJIANG ZHAOSHAN MECHANISM-ELECTRICITY CO., LTD

地址:浙江省诸暨市浣东街道兆山工业区
Add: Zhaoshan Industrial Zone, Huandong Street, Zhuji City, Zhejiang Province, China.
电话(Tel): +86-575-87250682 87250687 手机(Mob): +86 13575576338
网址(Web): www.zhaoshanemb.com http://zsmemb.en.alibaba.com

浙江兆山机电有限公司
ZHEJIANG ZHAOSHAN MECHANISM-ELECTRICITY CO., LTD

中国·兆山集团
CHINA ZHAOSHAN GROUP


企业简介 Company Profiles

浙江兆山机电有限公司是兆山集团旗下的一家专业从事电脑绣花机设计、研发、制造、销售的国家高新技术企业。公司成立于2005年，多年来坚持“科技为先导，品牌促发展”的方针，相继通过了ISO9001质量管理体系认证、ISO14001环境管理体系认证、CE认证、知识产权管理体系认证等，曾荣获市级文明单位、浙江名牌产品等荣誉称号。公司占地150亩，年产电脑绣花机3000余台。

公司研发生产的“兆山”牌、“ZSM”牌电脑绣花机具有断线率低、噪音小、绣品美观等特点，产品质量行业领先，销售网络遍布全球，包括国内以及美国、英国、印度、巴基斯坦、南美、东欧、北非等五十多个国家和地区，公司致力于为每一位客户定制提供一站式绣花解决方案，得到了客户的一致好评。公司始终遵循“诚信、共赢、求精、创新”的理念来经营企业和回报广大客户对我们的信任。

Zhejiang Zhaoshan Mechanism - Electricity Co., Ltd. is a top-ranked computerized embroidery machine manufacture, which is entitled with "national high-tech enterprise" by China Science & technology department. It combines R&D, manufacture, sales of computerized embroidery machines & spare parts all together. The company was founded in 2005, covers an area of 100,000 square meters of production space, and has an annual output of more than 3,000 sets computerized embroidery machines. Over the years, we adhered to the concepts of "technology as the guide, brand promotes development", successfully passed: ISO9001 quality management system certificate, ISO14001 environmental management system certificate, CE certificate, intellectual property management system certificate, etc., we are also honored with "Zhejiang Famous Brand Product" by Zhejiang provincial government.

The "ZSM" brand computerized embroidery machines which reputed in industry with high level quality. It has the characteristics of low thread breakage rate, low noise, and boutique embroidery result. Over the years, we had established sales network & service network worldwide, which covers China, USA, Europe, India, Pakistan, South America, Middle east, Morocco, Algeria, Egypt, more than 50 countries and regions. We are committed to provide one-stop embroidery solutions for each customer, has won worldwide praise from all customers. In our management, we always adhere to the concepts of "honesty, innovation, win-win, seeking for technology refinement" to run the company. We believe it's the best way to feedback our partners & customers who trust us all.



“ZSM” 家用机系列

主要特点

- * 适用于平绣、成衣绣、帽绣及各种刺绣应用
- * 个性化定制的完美选择
- * 高清10寸触摸屏
- * 可存储500个花样
- * 单个花样最大针数500万针
- * 内存花样容量2亿针
- * 自动换色、自动剪线、智能断检
- * 全屏花样预览寻边功能
- * 屏幕显示实时刺绣针迹
- * 可通过USB、网线、WIFI传输花样
- * 支持涂鸦绣、汉字绣、图片绣
- * 机器识别多种文件格式如DST、DSB等
- * 270°帽绣范围
- * 最高转速1200转
- * 支持电压100V-240V
- * 支持激光定位灯
- * 根据绣花需求自动切换各种尺寸绣框
- * 多语言操作系统，包括：中、英、西、土、俄、法、葡、阿、泰、意、德、荷、波、伊朗波斯语、韩语、日语、印度泰卢固语、印度泰米尔语、越南语




型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
JY-1501	15	1	400×240mm	55KG/135KG	620×610×1530mm	785×720×920mm

“ZSM” Arm type series

Features

- * Suitable for flat embroidery, cap embroidery and finished garments embroidery like T-shirt
- * perfect choice for personalized design.
- * Color 10 inch LCD display showing real time stitching
- * Storage of 500 designs.
- * 5 million stitches storage of a single design
- * Storage of 200 million stitches
- * Automatic color change, Auto cutter, Thread break detection.
- * Pre-sew design trace capable
- * Real-time show of sewing stitch.
- * fast data/design transmission by USB, network, WIFI
- * Support graffiti embroidery, Chinese character embroidery, picture embroidery
- * Recognize various format like DST, DSB & MORE
- * 270 degree Wide cap frame unit
- * Maximum speed 1200 RPM
- * Electricity: 110V/60Hz or 240V/50Hz
- * Laser positioning function
- * Different sizes of hoops/frames are changable according to your needs
- * Multi languages available like Chinese, English, Spanish, Turkish, Russian, French, Portuguese, Arabic, Thai, Italian, German, Dutch, Polish, Iranian Persian, Korean, Japanese, Indian Telugu, Indian Tamil language, Vietnamese.



型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
JY-1501	15	1	400×240mm	55KG/135KG	620×610×1530mm	785×720×920mm



“ZSM” 马头机系列

主要特点

- * 适用于平绣、成衣绣、帽绣及各种刺绣应用
- * 个性化定制的完美选择
- * 高清10寸触摸屏
- * 可存储500个花样
- * 单个花样最大针数500万针
- * 内存花样容量2亿针
- * 自动换色、自动剪线、智能断检
- * 全屏花样预览寻边功能
- * 屏幕显示实时刺绣针迹
- * 可通过USB、网线、WIFI传输花样
- * 机器识别多种文件格式如DST、DSB等
- * 270°帽绣范围
- * 最高转速1200转
- * 支持电压100V-240V
- * 支持激光定位灯
- * 根据绣花需求自动切换各种尺寸绣框
- * 多语言操作系统




型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
MT-1201	12/15	1	500×350mm	125KG/180KG	750×830×1500mm	1110×890×860mm

“ZSM” Arm type series

Features

- * Suitable for flat embroidery, cap embroidery and finished garments embroidery like T-shirt
- * perfect choice for personalized design
- * Color 10 inch LCD display showing real time stitching
- * Storage of 500 designs
- * 5 million stitches storage of a single design
- * Storage of 200 million stitches totally
- * Automatic color change, Auto cutter, Thread break detection
- * Pre-sew design trace capable
- * Real-time show of sewing stitch
- * Fast data/design transmission by USB, network, WIFI
- * Recognize various format like DST, DSB & MORE
- * 270 degree Wide cap frame unit
- * Maximum speed 1200 RPM
- * Electricity: 110V/60Hz or 240V/50Hz
- * Laser positioning function
- * Different sizes of hoops/frames are changable according to your needs
- * Multi-language operating systems



型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
MT-1201	12/15	1	500×350mm	125KG/180KG	750×830×1500mm	1110×890×860mm



“ZSM” 马头机系列

主要特点

- * 适用于平绣、成衣绣、帽绣及各种刺绣应用
- * 个性化定制的完美选择
- * 高清10寸触摸屏
- * 可存储500个花样
- * 单个花样最大针数500万针
- * 内存花样容量2亿针
- * 自动换色、自动剪线、智能断检
- * 全屏花样预览寻边功能
- * 屏幕显示实时刺绣针迹
- * 可通过USB、网线、WIFI传输花样
- * 机器识别多种文件格式如DST、DSB等
- * 270°帽绣范围
- * 最高转速1200转
- * 支持电压100V-240V
- * 支持激光定位灯
- * 根据绣花需求自动切换各种尺寸绣框
- * 多语言操作系统



型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
MT-1201	12/15	1	800×500mm	185KG/220KG	1050×1470×1500mm	1230×1020×930mm



“ZSM” Arm type series

Features

- * Suitable for flat embroidery, cap embroidery and finished garments embroidery like T-shirt
- * perfect choice for personalized design
- * Color 10 inch LCD display showing real time stitching
- * Storage of 500 designs
- * 5 million stitches storage of a single design
- * Storage of 200 million stitches totally
- * Automatic color change, Auto cutter, Thread break detection
- * Pre-sew design trace capable
- * Real-time show of sewing stitch
- * Fast data/design transmission by USB, network, WIFI
- * Recognize various format like DST, DSB & MORE
- * 270 degree Wide cap frame unit
- * Maximum speed 1200 RPM
- * Electricity: 110V/60Hz or 240V/50Hz
- * Laser positioning function
- * Different sizes of hoops/frames are changable according to your needs
- * Multi-language operating systems



型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
MT-1201	12/15	1	1200×500mm	195KG/230KG	2510×1470×1500mm	1480×1020×930mm



“ZSM” 轻帽机系列

主要特点

- * 适用于平绣、成衣绣、帽绣及各种刺绣应用
- * 大幅面刺绣最佳选择
- * 高清10寸触摸屏
- * 可存储500个花样
- * 单个花样最大针数500万针
- * 内存花样容量2亿针
- * 自动换色、自动剪线、智能断检
- * 全屏花样预览寻边功能
- * 屏幕显示实时刺绣针迹
- * 可通过USB、网线、WIFI传输花样
- * 机器识别多种文件格式如DST、DSB等
- * 270°帽绣范围
- * 最高转速1200转
- * 支持电压100V-240V
- * 支持激光定位灯
- * 根据绣花需求自动切换各种尺寸绣框
- * 多语言操作系统



“ZSM” C type series

Features

- * Suitable for flat embroidery, cap embroidery and finished garments embroidery like T-shirt
- * Best choice of large area embroidery
- * Color 10 inch LCD display showing real time stitching
- * Storage of 500 designs
- * 5 million stitches storage of a single design
- * Storage of 200 million stitches totally
- * Automatic color change, Auto cutter, Thread break detection
- * Pre-sew design trace capable
- * Real-time show of sewing stitch
- * Fast data/design transmission by USB, network, WIFI
- * Recognize various format like DST, DSB & MORE
- * 270 degree Wide cap frame unit
- * Maximum speed 1200 RPM
- * Electricity: 110V/60Hz or 240V/50Hz
- * Laser positioning function
- * Different sizes of hoops/frames are changable according to your needs
- * Multi-language operating systems



型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
QM-1201	12/15	1	600×400mm	200KG/275KG	965×1220×1650mm	1135×960×1020mm

型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
QM-1201	12/15	1	1200×600mm	330KG/450KG	2530×1600×1650mm	1990×1150×940mm



“ZSM” 轻帽机系列

主要特点

- * 适用于平绣、成衣绣、帽绣及各种刺绣应用
- * 小批量生产最佳选择
- * 高清10寸触摸屏
- * 可存储500个花样
- * 单个花样最大针数500万针
- * 内存花样容量2亿针
- * 自动换色、自动剪线、智能断检
- * 全屏花样预览寻边功能
- * 屏幕显示实时刺绣针迹
- * 可通过USB、网线、WIFI传输花样
- * 机器识别多种文件格式如DST、DSB等
- * 220°帽绣范围
- * 最高转速1200转
- * 支持电压100V-240V
- * 支持激光定位灯
- * 多语言操作系统




型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
QM-1202	12/15	2	500/500×400mm	340KG/400KG	1200×1220×1650mm	1490×1000×1090mm



“ZSM” C type Series

Features

- * Suitable for flat embroidery, cap embroidery and finished garments embroidery like T-shirt
- * Your best choice for small bulk orders.
- * Color 10 inch LCD display showing real time stitching
- * Storage of 500 designs.
- * 5 million stitches storage of a single design
- * Storage of 200 million stitches totally
- * Automatic color change, Auto cutter, Thread break detection.
- * Pre-sew design trace capable
- * Real-time show of sewing stitch.
- * Fast data/design transmission by USB, network, WIFI
- * Recognize various format like DST, DSB & MORE
- * 220 degree Wide cap frame unit
- * Maximum speed 1200 RPM
- * Electricity: 110V/60Hz or 240V/50Hz
- * Laser positioning function
- * Different sizes of hoops/frames are changable according to your needs
- * Multi-language operating systems



型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
QM-1203	12/15	3	400/400×450mm	415KG/550KG	1520×1320×1650mm	1795×1090×1090mm




“ZSM” 轻帽机系列

主要特点

- * 适用于平绣、成衣绣、帽绣及各种刺绣应用
- * 小批量生产最佳选择
- * 高清10寸触摸屏
- * 可存储500个花样
- * 单个花样最大针数500万针
- * 内存花样容量2亿针
- * 自动换色、自动剪线、智能断检
- * 全屏花样预览寻边功能
- * 屏幕显示实时刺绣针迹
- * 可通过USB、网线、WIFI传输花样
- * 机器识别多种文件格式如DST、DSB等
- * 220°帽绣范围
- * 最高转速1200转
- * 支持电压100V-240V
- * 支持激光定位灯
- * 多语言操作系统



型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
QM-1204	12/15	4	400/400×450mm	515KG/660KG	1920×1320×1650mm	2270×1090×1090mm



“ZSM” C type Series

Features

- * Suitable for flat embroidery, cap embroidery and finished garments embroidery like T-shirt
- * Your best choice for small bulk orders.
- * Color 10 inch LCD display showing real time stitching
- * Storage of 500 designs.
- * 5 million stitches storage of a single design
- * Storage of 200 million stitches totally
- * Automatic color change, Auto cutter,Thread break detection.
- * Pre-sew design trace capable
- * Real-time show of sewing stitch.
- * Fast data/design transmission by USB,network,WIFI
- * Recognize various format like DST,DSB & MORE
- * 220 degree Wide cap frame unit
- * Maximum speed 1200 RPM
- * Electricity: 110V/60Hz or 240V/50Hz
- * Laser positioning function
- * Different sizes of hoops/frames are changable according to your needs
- * Multi-language operating systems



型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
QM-1506	12/15	6	400/400×450mm	900KG/1000KG	2720×1330×1620mm	2800×1050×1570mm



“ZSM” 多帽机系列

主要特点

- * 适用于平绣、成衣绣、帽绣及各种刺绣应用
- * 批量生产最佳选择
- * 高清10寸触摸屏
- * 可存储800个花样
- * 单个花样最大针数200万针
- * 内存花样容量1亿针
- * 自动换色、自动剪线、智能断检
- * 全屏花样预览寻边功能
- * 屏幕显示实时刺绣针迹
- * 可通过USB、网线传输花样
- * 机器识别多种文件格式如DST、DSB等.
- * 220°帽绣范围
- * 最高转速1200转
- * 支持电压220V
- * 支持激光定位灯
- * 多语言操作系统

“ZSM” Multi Head Cap Series

Features

- * Suitable for flat embroidery, cap embroidery and finished garments embroidery like T-shirt
- * Your best choice for bulk orders.
- * Color 10 inch LCD display showing real time stitching
- * Storage of 800 designs.
- * 5 million stitches storage of a single design
- * Storage of 100 million stitches totally
- * Automatic color change, Auto cutter, Thread break detection.
- * Pre-sew design trace capable
- * Real-time show of sewing stitch.
- * Fast data/design transmission by USB, network
- * Recognize various format like DST, DSB & MORE
- * 220 degree Wide cap frame unit
- * Maximum speed 1200 RPM
- * Electricity: 220V/50Hz
- * Laser positioning function
- * Different sizes of hoops/frames are changable according to your needs
- * Multi-language operating systems

型号	针数	头数	头距/刺绣范围	净重/毛重	机器尺寸	包装尺寸
Model	Needles	Heads	Head Interval/Work Area	Net/Gross weight	Machine Size	Packing size
QM-1508	12/15	8	400/400×450mm	1000KG/1200KG	3520×1330×1620mm	3680×1050×1570mm

型号	针数	头数	头距/刺绣范围	净重/毛重	机器尺寸	包装尺寸
Model	Needles	Heads	Head Interval/Work Area	Net/Gross weight	Machine Size	Packing size
DM-1512	12/15	12	400/400×450mm	2000KG/2400KG	5860×1480×1620mm	5900×1680×1550mm



“ZSM” 帽绣盘带混合机系列

主要特点

- * 适用于平绣、成衣绣、帽绣、绳绣、带绣及各种刺绣应用
- * 大幅面刺绣最佳选择
- * 高清10寸触摸屏
- * 可存储500个花样
- * 单个花样最大针数500万针
- * 内存花样容量2亿针
- * 自动换色、自动剪线、智能断检
- * 全屏花样预览寻边功能
- * 屏幕显示实时刺绣针迹
- * 可通过USB、网线、WIFI传输花样
- * 机器识别多种文件格式如DST、DSB等
- * 270°帽绣范围
- * 最高转速1200转
- * 支持电压100V-240V
- * 支持激光定位灯
- * 多语言操作系统

“ZSM” Cap mixed with cording series

Features

- * Suitable for flat embroidery, cap embroidery, taping & cording embroidery, and finished garments embroidery like T-shirt
- * Best choice of large area embroidery.
- * Color 10 inch LCD display showing real time stitching
- * Storage of 500 designs.
- * 5 million stitches storage of a single design
- * Storage of 200 million stitches totally
- * Automatic color change, Auto cutter, Thread break detection.
- * Pre-sew design trace capable
- * Real-time show of sewing stitch.
- * Fast data/design transmission by USB, network, WIFI
- * Recognize various format like DST, DSB & MORE
- * 270 degree Wide cap frame unit
- * Maximum speed 1200 RPM
- * Electricity: 110V/60Hz or 240V/50Hz
- * Laser positioning function
- * Different sizes of hoops/frames are changable according to your needs
- * Multi-language operating systems

型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
QMP-1201+1	12/15	1+1	400/1200×550mm	390KG/570KG	2890×1550×1650mm	1990×1110×1000mm



“ZSM” 帽绣毛巾混合机系列

“ZSM” Cap mixed with chainstitch series


Features

- * Suitable for flat embroidery, cap embroidery and finished garments embroidery like T-shirt, chainstitch embroidery.
- * Best choice of large area embroidery..
- * Color 10 inch LCD display showing real time stitching
- * Storage of 500 designs.
- * 5 million stitches storage of a single design
- * Storage of 200 million stitches totally
- * Automatic color change, Auto cutter, Thread break detection.
- * Pre-sew design trace capable
- * Real-time show of sewing stitch.
- * Fast data/design transmission by USB, network
- * Recognize various format like DST, DSB & MORE
- * 270 degree Wide cap frame unit
- * Maximum speed 1000 RPM
- * Electricity: 110V/60Hz or 240V/50Hz
- * Multi-language operating systems




型号 Model	针数 Needles	头数 Heads	头距/刺绣范围 Head Interval/Work Area	净重/毛重 Net/Gross weight	机器尺寸 Machine Size	包装尺寸 Packing size
QMM-1201+601	12/15	1+1	500/1200×550mm	410KG/600KG	3100×1550×1650mm	2690×1260×1420mm


单头机标配成衣绣框(适用机型：MT-1201、QM-1201) Hoop setting for single head machine (MT-1201、QM-1201)



90mm圆框每头2个
Shirt Front Round Hoop 90mm (2pcs/head)



120mm圆框每头2个
Shirt Front Round Hoop 120mm (2pcs/head)



150mm圆框每头2个
Shirt Front Round Hoop 150mm (2pcs/head)



200mm圆框每头2个
Shirt Front Round Hoop 200mm (2pcs/head)



290X290方框每头2个
Jacket Back Square Hoop 290*290mm (2pcs/head)



540X360mm方框每头1个
Biggest Hoop 540*360mm (1pcs/head)




铝绣框每台1个
Aluminium frame (1pcs/machine)




左右扶手每头1套
Frame holder Left & Right (1pcs/head)

多头机标配成衣绣框(适用机型：QM-1203、QM-1204、QM-1206、QM-1208、QM-1212)


Hoop setting for Multi heads machine (QM-1203、QM-1204、QM-1206、QM-1208、QM-1212)




90mm圆框每头2个
Shirt Front Round Hoop 90mm (2pcs/head)



120mm圆框每头2个
Shirt Front Round Hoop 120mm (2pcs/head)



150mm圆框每头2个
Shirt Front Round Hoop 150mm (2pcs/head)



180mm圆框每头2个
Shirt Front Round Hoop 180mm (2pcs/head)



290X290方框每头2个
Jacket Back Square Hoop 290*290mm (2pcs/head)



395X310mm方框每头1个
Biggest Hoop 395*310mm (1pcs/head)




铝绣框每台1个
Aluminium frame (1pcs/machine)




左右扶手每头1套
Frame holder Left & Right (1pcs/head)


两头机标配成衣绣框(适用机型：QM-1202) Hoop setting for 2 heads machine (QM-1202)



90mm圆框每头2个
Shirt Front Round Hoop 90mm (2pcs/head)



120mm圆框每头2个
Shirt Front Round Hoop 120mm (2pcs/head)



150mm圆框每头2个
Shirt Front Round Hoop 150mm (2pcs/head)



200mm圆框每头2个
Shirt Front Round Hoop 200mm (2pcs/head)



290X290方框每头2个
Jacket Back Square Hoop 290*290mm (2pcs/head)



395X395mm方框每头1个
Biggest Hoop 395*395mm (1pcs/head)



铝绣框每台1个
Aluminium frame (1pcs/machine)



左右扶手每头1套
Frame holder Left & Right (1pcs/head)


磁铁框 Magnet frame



100X120mm
Magnet frame



150X150mm
Magnet frame




280X280mm
Magnet frame



260X330mm
Magnet frame

织带夹 Strap clamp (190mmX80mm)



帽驱动

Cap Driver



帽驱每头1套、帽圈每头2个、帽座每台1个

Cap driver 1 set/head、Cap hoop 2sets/head、Cap station 1 set/machine

鞋驱动

Shoes driver set




裤驱动

Trousers Driver set



随机工具箱

Tool box




多功能鞋驱动

Multi function shoes driver set





多功能袖口夹

Multi-functional cuff clip



八合一磁铁绣框

8 in 1 magnet frame



雕孔刀

Bording



袜架、袜板

Socks frame、Socks hold



珠子绣

Beads embroidery



“ZSM” 高速精品裁片机系列


"ZSM" high-speed boutique embroidery machine series

FH-1224(400/600×830)




新款17英寸触屏电控系统，框架、剪线等控制系统的全面升级使绣品质量大幅提高，适应性更强，干扰更小，稳定性更好，故障率极低。

The new 17-inch touch screen electronic control system, the comprehensive upgrade of the frame, thread trimming and other control systems have greatly improved the quality of embroidery, with stronger adaptability, less interference, better stability and extremely low failure rate.



自主研发双凸轮高速机头，故障率极低，寿命长，噪音低，质量稳定可靠。

ZSM Patent own-developed double cam triple lever high-speed head with extremely low failure rate, long life, low noise, and stable and reliable quality.



丝杆剪线系统，大功率电机保证剪线角度更加精准，动作流畅，确保各种高强度绣花线的剪线效果。

Smart motor trimmer system ,the high-power motor ensure a more accurate thread trimming angle and smooth movement, ensuring the thread trimming effect of various high-strength embroidery threads.




半静态剪线大刀，大大提高剪线稳定性，剪线更精准，掉线率更低，产量更高。

The semi-static big trimming knife greatly improves the stability of thread trimming, it makes the trimming more accurate, and lower the thread drop rate, make embroidery output more higher.



高品质夹线器，过线更顺畅、面线跳动更小，线迹平顺，绣品质量高，断线率低。绣作金丝线时能和人丝线等普通绣线一样顺畅，不易缠线。

High-quality tension box, smoother thread passing, smaller upper thread jump, smooth stitches, high embroidery quality, and low thread breakage rate. When embroidering gold thread, it can be as smooth as ordinary embroidery thread such as rayon and is not easy to get tangled.



新型框架辅助驱动，可有效减少框架晃动，使动框更精准、针迹更美观。

The new extra X driving system can effectively reduce frame swing, make the frame moving more accurate and more beautiful stitch.



选配电子加油装置（可选装定时款），对机头、旋梭机构定点加油，降低零部件损耗及断线率，提高生产效率。

Optional fully automatic oiling system (timing model optional) .it can oiling the head and hook mechanism at fixed points,it reduce parts loss, and also lower the thread breakage rate ,so improve production efficiency highly.




选配自动油雾润滑系统，加油前对剪刀进行吹气清理，根据机器转速和面料定量、定时加油，有效雾化白油，减少对面料污染的同时对旋梭内部进行精准加油。

automatic oil mist lubrication system, it will clean the scissors by blowing air before oiling,and do oiling quantitatively and regularly according to machine speed and fabric.The mist lubrication oil reduce fabric stains during oiling ,and at the same time,it precisely oiling inside of the hook.

“ZSM” 高速多头机系列

"ZSM" high-speed multi-head embroidery machine series

FH-488(110/500×1500)



10英寸触屏操控面板，操作更方便，功能更齐全，稳定性更好，故障率极低。

10 inch touch screen, more easier operation ,more complete function, more stable performance & less errors happen.




新型双伺服电机驱动刺绣主传动结构，动力十足，传动均衡，性能优异。

Newly-developed double servo motor motivated structure.the most powerful power supply bring the most balanced drive . make the performance extremely excellent.



采用更稳定的双换色系统，提高换色的精度，保证超多头机器的首末针在同一点下针，为高效率、高品质的刺绣保驾护航。

Double color change system enhances the precision of color change, specially on super multi-heads models, it ensures the 1st needle & last needle stitch at the same timing point. It largely secures the embroidery high efficiency & high quality.



采用更稳定的双勾线系统提高勾线稳定性，保证超多头机器的勾线一致，提高刺绣效率与品质。

The more stable double hooking system is adopted to improve the stability of hooking, make sure the hooking consistency specially for super multi-head machine. It helps to improve the embroidery efficiency and quality .



半静态剪线大刀，大大提高剪线稳定性，剪线更精准，掉线率更低，产量更高。

The semi-static big trimming knife greatly improves the stability of thread trimming, it makes the trimming more accurate, and lower the thread drop rate, make embroidery output more higher.



可选装1倍、1.6倍、3倍旋梭。

3 different size category rotary hooks are available: 1.0 hook; 1.6 hook; 3.0 hook.



选配电子加油装置（可选装定时款），对机头、旋梭机构定点加油，降低零部件损耗及断线率，提高生产效率。

Optional fully automatic oiling system (timing model optional) .it can oiling the head and hook mechanism at fixed points, it reduce parts loss, and also lower the thread breakage rate ,so improve production efficiency highly.



选配自动油雾润滑系统，加油前对剪刀进行吹气清理，根据机器转速和面料定量、定时加油，有效雾化白油，减少对面料污染的同时对旋梭内部进行精准加油。

automatic oil mist lubrication system, it will clean the scissors by blowing air before oiling, and do oiling quantitatively and regularly according to machine speed and fabric. The mist lubrication oil reduce fabric stains during oiling ,and at the same time, it precisely oiling inside of the hook.

“ZSM” 高速平绣毛巾绣混合机系列

"ZSM" high-speed flat mixed with chainstitch embroidery machine series

FMH-926+926(450/600×850)



全新的高度集成式电控系统，对打环、机针跟踪、换色、动框等控制系统进行了全面改进升级，参数更可控，适应性更强，电控干扰更小，稳定性更好，故障率极低。

The new highly-integrated electronic control system, it has comprehensively improved and upgraded the control systems such as looping, needle tracking, color changing, and frame moving. It makes more easier to control the paramaters, more easier to adopt different designs & fabrics. also the electronic control interference is smaller, the stability is better, and the failure rate is extremely low.



全新一代超高速毛巾绣机头，更高速，更稳定，更静音。毛巾绣多达12色可选，转速可达1200转/分针。

The new generation of ZSM ultra-high-speed chainstitch embroidery machine head, it with more higher speed, more stable performance and less noise. its embroidery needles up to 12 colors, and can reach 1200rpm running speed.



国内首创采用双H轴直连技术，对高速多头进行分段和精准控制，确保每个环梭打环更均衡，且大幅降低打环电机的能耗和负载。

Double H-axis direct connection technology is the first technology in china which developed by ZSM, it divide the multi heads and precisely control it, to ensure more balanced looping of each looping shuttle, and greatly reduce the energy consumption and load of the looping motor.



毛巾绣打环H轴电机智能温控系统，可实时显示电机温度和风机状态，做到有效控制H轴电机发热情况。

The newly-developed H-axis motor temperature control system, it can display the motor temperature and fan status in real time, so ZSM chainstitch machine can effectively control the heating of the H-axis motor problem.




新款高速毛巾机头采用上置式机针转向跟踪传动轴，绣花操作和维修保养工作更省心。

The new high-speed head adopts the upper-mounted needle steering and tracking drive shaft, which makes embroidery operation and maintenance work more easier.




全新的毛巾绣梭床自动吹气清理设计，电脑控制，随时清理灰尘和线头，降低故障率。

New design of auto blowing systems on the looper base can remove the dust and thread residue by air. It can be controlled by the computer and clean at any time, also reduce the failure rate of machine.



智能高灵敏度毛巾绣断线检测。
Intelligent high-sensitivity chenille embroidery thread breakage detection.




新型框架辅助驱动，可有效减少框架晃动，使动框更精准、针迹更美观。

The new extra X driving system can effectively reduce frame swing, make the frame moving more accurate and more beautiful stitch.

“ZSM” 高速毛巾绣机系列


"ZSM" high-speed chainstitch embroidery machine series

FH-628(330/750×1450)




全新的高度集成式电控系统，对打环、机针跟踪、换色、动框等控制系统进行了全面改进升级，参数更可控，适应性更强，电控干扰更小，稳定性更好，故障率极低。

The new highly-integrated electronic control system, it has comprehensively improved and upgraded the control systems such as looping, needle tracking, color changing, and frame moving. It makes more easier to control the paramaters, more easier to adopt different designs & fabrics. also the electronic control interference is smaller, the stability is better, and the failure rate is extremely low.




全新一代超高速毛巾绣机头，更高速，更稳定，更静音。毛巾绣多达12色可选，转速可达1200转/分钟。

The new generation of ZSM ultra-high-speed chainstitch embroidery machine head, it with more higher speed, more stable performance and less noise. its embroidery needles up to 12 colors, and can reach 1200rpm running speed.



智能高灵敏度毛巾绣断线检测。

Intelligent high-sensitivity chenille embroidery thread breakage detection.



新型框架，采用高强度铝材，不变形，垂直度、牢固度高。

Latest technology frame, made from high-strength aluminum, it will not deform, and has high verticality and firmness.



国内首创采用双H轴直连技术，对高速多头进行分段和精准控制，确保每个环梭打环更均衡，且大幅降低打环电机的能耗和负载。

Double H-axis direct connection technology is the first technology in china which developed by ZSM, it divide the multi heads and precisely control it, to ensure more balanced looping of each looping shuttle, and greatly reduce the energy consumption and load of the looping motor.



全新的毛巾绣梭床自动吹气清理设计，电脑控制，随时清理灰尘和线头，降低故障率。

New design of auto blowing systems on the looper base can remove the dust and thread residue by air. It can be controlled by the computer and clean at any time, also reduce the failure rate of machine.



整机轴承采用进口NSK，寿命长，精度高噪音低。

Use the imported NSK bearings on the machine working more accurate, lower noise and longer life.



新款高速毛巾机头可外挂亮片装置，亮片整齐不掉片。

The new high-speed machine head can be equipped with an external sequin device, ensuring that the sequins are neat and do not fall off.

附加装置 Device choice



单金片装置
Single sequin device



单金片 (电机切片) 装置
Single sequin device
(Motor cutter)




单金片小头距装置
Single sequin device
(Side, front lifting, small space)




单金片 (电机切片) 侧面装置
Single sequin device
(Side, motor cutter)



单金片 (电机升降) 正装置
Single sequin device
(Front, motor lifting)



叠金片 (电机切片) 装置
Twin sequin motor cutter device




四色金片装置
Multi(4)sequin device



六色金片装置
Multi(6)sequin device




十色金片装置
Multi(10)sequin device




单色珠子装置
Single bead device


附加装置 Device choice




双色珠子装置
Twin beads device




三色珠子装置
3 beads device




单色珠子加叠金片装置
Single bead + twin sequin device




双色珠子加叠金片装置
Twin beads + twin sequin device



三色珠子加叠金片装置
3 beads + twin sequin device



绳绣装置
Easy cording device



绳绣装置 (电机升降)
Easy cording device (Motor lifting)



激光装置
Laser device

ZSM 精美绣品 Exquisite embroidery from ZSM



ZSM 精美绣品 Exquisite embroidery from ZSM

