


深圳市
(FWH30-D40A)

序号	料号	名称
1	2.01.01.01.0624	双摆X轴电机组件（插拔式，不带线）
2	2.01.01.01.0625	双摆Y轴电机组件（插拔式，不带线）
3	3.01.09.01.0051	X轴电机线（双摆QX）10m
4	3.01.09.01.0052	Y轴电机线（双摆QX）10m
5	3.02.03.01.0011	保护镜片（通用）
6	3.02.02.01.0011	聚焦镜片
7	3.02.01.01.0022	准直镜片
8	3.02.04.01.0004	反射镜片
9	3.07.02.01.0136	双送丝连接件1.2
10	3.07.02.01.0135	双送丝连接件1.6

11	3. 07. 02. 01. 0134	双送丝连接件2.0
12	3. 07. 02. 01. 0138	四送丝连接件1.6
13	3. 07. 02. 01. 0137	四送丝连接件2.0
14	3. 07. 02. 01. 0139	四送丝连接件1.2
15	3. 11. 01. 01. 0067	内角四送丝嘴1.2
16	3. 11. 01. 01. 0066	内角四送丝嘴1.6
17	3. 11. 01. 01. 0065	内角四送丝嘴2.0
18	3. 07. 02. 01. 0003	送丝轮
19	3. 07. 02. 01. 0043	送丝轮
20	3. 07. 01. 02. 0231	喷管
21	3. 07. 01. 01. 0823	喷管D18
22	2. 01. 01. 01. 1373	四送丝管组件
23	1. 01. 01. 03. 0150	送丝支架组件(带螺丝)

24	2.01.01.01.0953	准直压盖组件（共用）
25	2.01.01.01.0813	聚焦镜片压盖组件 (D20*F200)
26	2.01.01.01.0952	保护镜压盖组件（D25*2）
27	2.01.01.01.1149	准直抽屉组件
28	2.01.01.01.0473	聚焦抽屉组件F200
29	2.01.01.01.0374	保护镜座抽屉组件2
30	2.01.01.01.0373	保护镜座抽屉组件1

睿法智能科技有限公司耗材
智能双摆手持焊接头（四送丝二合一）



型号	单位	备注
H04-52A	套	
H04-53A	套	
DB9母插头镀金，另外一端为PH2.0 6P (2*4) 母端，拔线长留至65mm，10米 线	套	
DB9公插头镀金，另外一端为PH2.0 6P (2*4) 母端，拔线长留至75mm，10米 线	套	
D25*2	PCS	
D20*F200	PCS	
D16*F40	PCS	
27*14*2（入射角60° 摆动角度±15° ）	片	
SS-050A	PCS	
SS-051A	PCS	

SS-052A	PCS	
SS-043B	PCS	
SS-042B	PCS	
SS-044B	PCS	
TDS-12D	PCS	
TDS-16D	PCS	
TDS-20D	PCS	
1.2 -1.6 V型线槽	PCS	
2.0、2.0 V型	PCS	
H09-079A	个	
H03-418A		
SS-99B	PCS	
SS-109 (D40A)	PCS	四送丝

H08-335A	套	用在准直镜
H08-281A	套	用在聚焦镜
H08-334A	套	用在保护镜
H08-44A（不含镜片）	套	用在准直镜
H08-152A（不含镜片）	套	用在聚焦镜
H08-121A（不含镜片）	套	用在保护镜
H08-120A（不含镜片）	套	用在保护镜

图片
